

SAFETY DATA SHEET

Mercury

Date of Preparation: 06/19/2014

SDS #: 004-16015-00MSDS

SECTION 1: IDENTIFICATION

Product Identification: Mercury, Hg

CAS Number: 7439-97-6

Other Designations: Quicksilver

Volumes: 5 lb (1 liter), 1.5 oz, 7 ml

Recommended Use: For laboratory use only.

Restrictions: For laboratory use only.

Supplier Information:

Micromeritics Instrument Corp.
4356 Communications Drive
Norcross, GA 30093-2901 USA

Contact: Human Resources
Phone: (770) 662-3620
Fax: (770) 662-3696

Manufacturer: Micromeritics Instrument Corp., 4356 Communications Drive, Norcross, GA 30093-1877 USA, Phone: (770) 662-3678 D.F. Goldsmith Chemical & Metal Co., 909 Pitner Avenue, Evanston, IL 60202, Phone: (800)424-9300, Contact: (847)869-7800

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification:

Acute toxicity, Inhalation (Category 2)

Reproductive toxicity (Category 1B)

Specific target organ toxicity - repeated exposure (Category 1)

Acute aquatic toxicity (Category 1)

Chronic aquatic toxicity (Category 1)

Signal word: Danger

Hazard Statements:

H330: Fatal if inhaled.

H360: May damage fertility or the unborn child.

H372: Causes damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Pictograms:



Precautionary Statements:

- P201: Obtain special instructions before use.
- P202: Do not handle until all safety precautions have been read and understood.
- P260: Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
- P264: Wash skin thoroughly after handling.
- P270: Do not eat, drink or smoke when using this product.
- P271: Use only outdoors or in a well-ventilated area.
- P273: Avoid release to the environment.
- P281: Use personal protective equipment as required.
- P284: Wear respiratory protection.
- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P310: Immediately call a POISON CENTER or doctor/ physician.
- P320: Specific treatment is urgent (see supplemental first aid instructions on this label).
- P391: Collect spillage.
- P403 + P233: Store in a well-ventilated place. Keep container tightly closed.
- P405: Store locked up.
- P501: Dispose of contents/ container to an approved waste disposal plant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredient Name | CAS Number | % wt |
|----------------------------|------------|------|
| Mercury (Metallic Mercury) | 7439-97-6 | 100 |

Trace Impurities:

| Ingredient | OSHA PEL | | ACGIH TLV | | NIOSH REL | | NIOSH |
|------------|------------------------|-------------|------------------------|-------------|-------------|-------------|-------------|
| | TWA | STEL | TWA | STEL | TWA | STEL | IDLH |
| Mercury | 0.05 mg/m ³ | none estab. | 0.05 mg/m ³ | none estab. | none estab. | none estab. | none estab. |

All the components of this material are on the toxic substances control act chemical substances inventory.

SECTION 4: FIRST-AID MEASURES

Description of first aid measures

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact: Flush eyes with water as a precaution.

If swallowed: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed: The most important known symptoms and effects are described in the labelling and/or in section 11

Indication of any immediate medical attention and special treatment needed: no data available

SECTION 5: FIRE-FIGHTING MEASURES

Flammability Classification: Not applicable

Extinguishing Media: Dry chemical, carbon dioxide, water spray or foam.

Unusual Fire or Explosion Hazards: Use water in flooding amounts as a fog. Avoid breathing corrosive and poisonous vapors. Keep upwind.

Hazardous Combustion Products: Not applicable

Fire-Fighting Instructions: For larger fires, use water spray, fog or alcohol foam (1984 Emergency Response Guide, DOT P 5800.3). Move containers from area if possible. Cool containers exposed to flames with water from side until well after fire is out. Use agents suitable for type of fire.

Fire-Fighting Equipment: Not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up: Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Reference to other sections: For disposal see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling: Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. For precautions see section 2.

Conditions for safe storage, including any incompatibilities: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store under inert gas.

Specific end use(s): Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls

Appropriate engineering controls: Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection: Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection: Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Flash Point: Not applicable

Flash Point Method: Not applicable

Burning Rate: Not applicable

Autoignition Temperature: Not applicable

LEL: Not applicable

UEL: Not applicable

Physical State: Liquid Metal

Appearance and Odor: Silver-White, Heavy mobile

Odor Threshold: Not applicable

Vapor Pressure: 0.0012 mm Hg at 20°C

Vapor Density (Air=1): 7.0

Formula Weight: Not applicable

Density: Not applicable

Specific Gravity (H₂O=1): 13.6

pH: N/A

Water Solubility: Insoluble

Other Solubilities: Not applicable

Boiling Point: 675F (375C)

Melting Point: -38F (-39C)

Viscosity: Not applicable

Refractive Index: Not applicable

Surface Tension: Not applicable

% Volatile: Not applicable

Evaporation Rate: Not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity: no data available

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions: no data available

Conditions to avoid: no data available

Incompatible materials: Strong oxidizing agents, Ammonia, Azides, Nitrates, Chlorates, Copper

Hazardous decomposition products: Other decomposition products - no data available

In the event of fire: see section 5

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity: no data available

LC50 Inhalation - rat - male - 2 h - < 27 mg/m³

Dermal: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity: This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Mercury)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Presumed human reproductive toxicant

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard: no data available

Additional Information

RTECS: OV4550000

Mercury accumulates in almost all tissues, especially in the: Kidney, Effects due to ingestion may include: Nausea, Vomiting, Diarrhea, intestinal bleeding

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: ECOLOGICAL INFORMATION

Toxicity: Toxicity to fish mortality LC50 - Cyprinus carpio (Carp) - 0.160 mg/l - 96 h

Persistence and degradability: no data available

12.3 Bioaccumulative potential

Bioaccumulation - Carassius auratus (goldfish) - 1,789 d- 0.25 µg/l

Bioconcentration factor (BCF): 155,986

Mobility in soil: no data available

Results of PBT and vPvB assessment: PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

WWW.MICROMERITICS.COM | 4356 COMMUNICATIONS DRIVE, NORCROSS, GA 30093 | 770-662-3636

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging: Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

DOT (US)

UN number: 2809 Class: 8 (6.1) Packing group: III

Proper shipping name: A,W Mercury

Reportable Quantity (RQ): 1 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 2809 Class: 8 (6.1) Packing group: III EMS-No: F-A, S-B

Proper shipping name: MERCURY

Marine pollutant: No

IATA

UN number: 2809 Class: 8 (6.1) Packing group: III

Proper shipping name: Mercury

SECTION 15: REGULATORY INFORMATION

SARA 302 Components: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards: Acute Health Hazard, Chronic Health Hazard

SECTION 16: OTHER INFORMATION

Prepared By: Zuniga, A.

Revision Notes: Not Applicable

Additional Hazard Rating Systems: Not Applicable

Disclaimer: The information presented herein is believed to be accurate and was obtained from sources believed to be reliable. However, the information is provided without any representation or warranty, expressed or implied, with respect to its accuracy or completeness. It is the users' responsibility to determine the suitability of this product and the relevance of this information for their use.